

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A smart audio guide system for use in conjunction with a content distribution network of a content distributor that includes a distribution head-end to distribute programming available for viewing on a video display device at a viewer subsystem, the viewer subsystem including an audio unit to provide audio for the video display unit, the smart audio guide system comprising:

a recommendation engine for providing a customized viewing-recommendations list for the viewer subsystem based upon the programming data maintained at the distribution head of the content distributor and a customized viewing profile associated with a user of the viewer subsystem;

an interface device of the content distributor provided at the viewer subsystem, having an electronic program guide and configured and operative to implement the smart audio guide system functions;

a smart audio guide audio package maintained at the head end of the content distributor that includes at least a plurality of smart audio guide audio clips corresponding to each program included in the programming data maintained at the distribution head of the content distributor ~~the customized viewing-recommendations list~~; and

a smart guide actuator that is configured and operative in response to one or more predetermined conditions to activate the rendering of the smart audio guide audio clips and the customized viewing-recommendations list;

wherein the plurality of smart audio guide audio clips are generated at a head-end of the content distributor and stored in a database at the head-end,

wherein said interface device is configured and operative to display a recommended program listing at the view subsystem based upon the customized viewing-recommendations list and to retrieve ~~cause the plurality of~~ smart audio guide audio clips corresponding to the programs in the recommended program listing, wherein the retrieved smart audio guide audio clips are ~~to be~~ uttered in a predetermined mode at the viewer subsystem via the audio unit when activated to identify the programs in the recommended program listing for viewing at the viewer subsystem based upon the customized viewing-recommendations list, and

wherein, ~~as the plurality of smart audio guide audio clips is being~~ are uttered [[,]] synchronously with a corresponding visual presentation of ~~the customized viewing-recommendations list is modified respectively to synchronize the uttering of each of the plurality of smart audio guide audio clips with~~ a matching program in the recommended programming data in the visual presentation of the customized viewing-recommendations list.

2. (Previously Presented) The smart audio guide system of claim 1, wherein at least one of the plurality of smart audio guide audio clips corresponding to a recommended program of the customized viewing-recommendations list is generated by combining one or more audio clips identifying the recommended program and at least one standardized audio clip.

3. (Canceled)

4. (Previously Presented) The smart audio guide system of claim 1,
wherein:

the corresponding visual presentation is a graphical recommendation menu and
the interface device is further configured and operative to implement a focus frame
that, upon each of the plurality of smart audio guide clips being uttered, visually focuses a
corresponding program grid of the graphical recommendation menu, wherein the
corresponding program grid is associated with a program identified by the smart audio guide
audio clip.

5. (Previously Presented) The smart audio guide system of claim 1,
wherein:

the corresponding visual presentation is an electronic program guide and
the interface device is configured and operative to implement a focus frame that
visually focuses a corresponding program grid of the electronic program guide, wherein the
corresponding program grid is associated with a program identified by the smart audio guide
audio clip.

6. (Previously Presented) The smart audio guide system of claim 1 further
comprising a speech generating unit, and wherein the smart audio guide audio package
further comprises a plurality of smart audio guide text files;

and wherein the interface device is configured and operative to implement the speech
generating unit to convert the plurality of smart audio guide text files into the plurality of
smart audio guide audio clips.

7. (Previously Presented) The smart audio guide system of claim 1 wherein the viewer subsystem further includes a viewer control unit and wherein the smart audio guide actuator comprises a button on the viewer control unit, which when depressed, activates the interface device to cause the plurality of smart audio guide audio clips to be uttered in the predetermined mode at the viewer subsystem via the audio unit.

8. (Previously Presented) The smart audio guide system of claim 1 wherein the smart audio guide actuator comprises a set of instructions that activates the interface device to cause the plurality of smart audio guide audio clips to be uttered in the predetermined mode at the viewer subsystem via the audio unit when the video display device at the viewer subsystem is initially activated.

9. (Previously Presented) The smart audio guide system of claim 1 wherein the smart audio guide actuator comprises a set of instructions that activates the interface device to cause the plurality of smart audio guide audio clips to be uttered in the predetermined mode at the viewer subsystem via the audio unit at the conclusion of a programming period.

10-11. (Canceled)

12. (Previously Presented) The smart audio guide system of claim 1 wherein the interface device is configured and operative to temporarily discontinue the audio associated with programming being displayed via the video display device at the viewer subsystem when the plurality of smart audio guide audio clips is being uttered in a predetermined mode at the viewer subsystem via the audio unit.

13 - 18. (Canceled)

19. (Currently Amended) An apparatus adapted for use in an interactive content distribution system, the apparatus comprising:

a recommendation subsystem configured to access a programs database at a content distributor over a network of the content distributor and to generate recommendations of programs from available programs based upon viewer profile information and viewer content selection history maintained at the recommendation subsystem, wherein each ~~recommended~~ program is associated with at least one respective audio clip generated and maintained at the content distributor for identifying content of programs ~~the recommended program~~ provided over the network of the content distributor; and

a viewer subsystem configured to retrieve a recommended program list from the recommendation subsystem and to render audiovisual signals associated with a program selection mechanism through a display and speakers, wherein the audiovisual signals include a visual program guide showing programs in the recommended program list and audio clips that are uttered ~~associated with at least one recommended program~~ synchronously with a corresponding visual presentation of a matching program from the recommended programming list.

20. (Previously Presented) The apparatus of claim 19, wherein the audiovisual signals include image representative signals associated with an electronic program guide (EPG) provided in an interface device of the content distributor and wherein the audiovisual signals are configured such that, upon rendering of each of the audio clips associated with the at least one recommended program, a portion of the EPG corresponding to the at least one recommended program becomes visually focused.

21. (Previously Presented) The apparatus of claim 19, wherein the audiovisual signals are adapted for presentation via a television.

22. (Previously Presented) The apparatus of claim 19, wherein programs and their respective audio clips are stored at a programs database at a head end of the content distributor.

23. (Previously Presented) The apparatus of claim 20, wherein normal presentation of the EPG is modified in response to the presence of recommended content within an EPG page.

24. (Previously Presented) The apparatus of claim 23, wherein an audio clip associated with recommended content is audibly rendered in response to the presence of recommended content displayed within an EPG page.

25. (Previously Presented) The apparatus of claim 24, wherein an audio clip associated with recommended content is audibly rendered in response to user manipulation of the displayed EPG to potentially recommended content.

26. (Previously Presented) The apparatus of claim 19, wherein in response to a user selection of a predefined graphical button each of a plurality of audio clips associated with recommended content is audibly rendered.

27. (Previously Presented) The apparatus of claim 19, further comprising a speech generating unit configured to provide audio data related to recommended content.

28. (Currently Amended) A method adapted for use in an interactive content distribution system, the method comprising:

accessing a programs database at a content distributor over a network of the content distributor using a recommendation subsystem and generating recommendations of available programs based upon viewer profile information and viewer content selection history maintained at the recommendation subsystem, wherein each ~~recommended~~ program is associated with at least one respective audio clip maintained at the content distributor for identifying content of each of the recommended program available programs provided over the network of the content distributor; and

retrieving, from a head end of the interactive content distribution system, a list of recommended programs and at least one audio clip identifying content of ~~one each of the recommended programs~~ programs included in the list of recommended programs;

retrieving at least one standardized audio clip; and

rendering audiovisual signals ~~associated with~~ through a display and speakers in response to activation of a program selection mechanism ~~through a display and speakers~~, the audiovisual signals including a visual program guide showing programs in the recommended program list and ~~combined the at least one retrieved audio clip and one or more of the at least one standardized audio clip to identify the content of the recommended program~~ audio clips that are uttered synchronously with a corresponding visual presentation of a matching program from the recommended programming list.